## Wood Mantel Assembly Instructions



## **Assembly Procedure**



1. Place the mantel base (
) on a desired location in your room.



4. Locate right side panel (). If the right side panel is detached, please connect them together first (see figure A) Place the whole right side panel on the mantel base. Make sure the predrilled holes are lined up with the side panel and center panel. Using screws through the predrilled holes in the mounting blocks, attach the side panel to the base. Follow the same procedure to attach the side panel to the center panel.



2. Locate the left side panel (2). If the left side panel is detached, please connect them together first (see figure A). Place the left side panel on the mantel base, then using screws through the predrilled holes in the mounting blocks, attach the side panel to the mantel base. Tighten the screws using a Phillips head screwdriver.



5. Locate the mantel top (S) and lay finish side up on top of the completed mantel assembly. Make sure that the top fits tightly and securely. Back View

3. Locate the centre panel (()). Push the center panel snug to the left side panel. Make sure the predrilled holes are lined up with the side panel and center panel. Then insert screws into the holes in the mounting blocks. Tighten the screws using a Phillips head screwdriver.



6. Lift the fireplace carefully into the front of the mantel and center it in the fireplace opening. Do not drag the fireplace across the base as it may scratch the mantel base.



\*See Page 3 for more details on assembling for different model.



